: SADDLE FITTING, FWD (OUTBOARD/INBOARD)

Pob. 62.16

Date:

Wednesday, 2/15/2006 3:46:09 PM

User:

Kim Johnston

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 25831 **Estimate Number** 

: 10531

P.O. Number

:NIA

This Issue Prsht Rev.

**Previous Run** 

: 2/15/2006

: NC

: NIA : 25830

S.O. No. : N/A

: MACHINED PARTS

**Part Number** 

**Drawing Name** 

: D2572 REV & E **Drawing Number** 

**Project Number** : N/A : ØE

: D2572

**Drawing Revision** : NIA Material

**Due Date** : 3/15/2006

15 Um: Each

Written By

First Issue

Checked & Approved By

Comment

Re-format; Change to Dwg Rev. D &

incorporated D2572KJ

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description:

D6101005 1.0

7075-T7351 8.25X5.0X2.5



Comment: Qty.:

1.0000 Each(s)/Unit

Total: 15.0000 Each(s)

7075-T7351 8.25X5.0X2.5

Make from D6101-005 billet for D2572 Ensure that grain is along 5.00" length

Batch No: **B** 24069

2.0

HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1 Program Batch No. 25831 Double check by: 30

> 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

- 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
- 4-Deburr and remove all machining marks

5-Tumble to remove shap edges.

06.03.22 BG For

3.0

MILLING CONV.

CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2571 & D2572



## Dart Aerospace Ltd

W/O:			V	VORK ORDER CHAN	NGES				·	
DATE	STEP	PRO	OCEDURE CH	IANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			-							
Part No	•	PAR #:	Fault Ca	tegory:	NCF				_	
NCR:		,	WORK OR	DER NON-CONFOR	MANCE			1:	Date:	
		Description of NC		Corrective Action Section B			Verifica		ation Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descriptio	n	Sign & Date	Secti		Chief Eng	QC Inspector
		*		,						
			9.							

NOTE: Date & initial all entries

Wednesday, 2/15/2006 3:46:09 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 25831 Part Number: D2572 Job Number: Seq. #: Description: Machine Or Operation: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE BG For I.G QC8 SECOND CHECK 5.0 Comment: SECOND CHECK 15 HAND FINISHING HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 04/03/22 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVER 8.0 QC3 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 DC DOCUMENT CONTROL Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Ae	rospace	Ltd	4 I ·		•				
W/O:			WORK ORDER CH	ANGES					
DATE	STEP	PROC	ROCEDURE CHANGE			Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC inspector
	•				3-			.v	
									1
						-			
Part No		PAR #:	Fault Category:	NCI	R: Yes	No <b>DQA</b>	:	Date:	
					QA: N/	C Closed	:	Date:	
NCR:		W	ORK ORDER NON-CONFO	DRMANCE	(NCR	)			
DATE	STEP	Description of NC Section A	Corrective Action  Initial Action Descript Chief Eng Chief Eng	Section B	Sign & Date	Verifica Section		Approval Chief Eng	Approval QC Inspector
					9	¥			
		•		¥				-	
		• •		4.		1.0			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	2583
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

				Re	corded Actu	ual Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	. 1	2	3	4 ,	Ву	Date
Α	0.438	0.443	DT8682	0.438	0.438	884.0	0.438		
В	1.745	1.755		1.746	11.746	1.748	1.748		
С	3.495	3.505		3.497	3,497	3.497	3.497		
D	1.745	1.755		1746		1.747	1-747		
E	7.990	8.010		7.999	9 -000	8.001	8-001		
F	0.490	0.510		0.492	0.490	0.505	0.504		
G	0.257	0.262	DT8683	6.25+	0.257	6.257	6.25.0		
H	0.375	0.380	DT8684	6.375	0.375	6.375	0-375		
1	0.490	0.510		0 497	0.498	0.498	0-498		,
J	1.174	1.184		1.177	1-177	1.178	1,178		
K	0.558	0.578	***	B.569	0-568	0.570	0 569		
L	1.174	1.184		1.177	1,177	0.570	1-178		
M	1.490	1.500		1.454	1 - 494	1.4 96	1.496		
N	2.495	2.505		2495	2.496	2.496	2.497		
0	3.869	3.879		3.872	3-871	3.870	3.871		
P	0.115	0.135		0.125	0,126	0-128	0.128		
Q	0.115	0.135	,	0.130	0/30	0.730	6.131		
R	0.240	0.260		0.249	0-248	0.249	0.248	1,50	
S	0.115	0.135		6.122	0-122	161.0	0.131		······································
T	0.178	0.198		0./208	0.188	4.189	0168		
U	2.940	2.980		2966	a 960	2.960	2.960		
V	0.230	0.250		8.74	0-247	0-235	0.335		
W	0.115	0.135		0.122	0.122	0.124	0.124		
X	0.307	0.312		0.310	0.310	0.3/9	6.310		
* Y	0.760	0.765		0.760	0-760		0.760		*
Z	0.352	0.372		0.364	0-362	0.362	0.361		
ĀĀ	0.470	0.530		0.200	6.200	6.500	°.20c		
AB	0.615	0.635	1.00	0625	0.624	0-622	0.693		
AC	0.053	0.073		0.063	6.063	0 063	0 063		
AD	0.240	0.260		0.246	0.245	0.247	0-246		7
AE	1.375	1.395		1.384	1.388	1.389	1-389		
AF	0.115	0.135		8.130	0-130	0.130	0.138		
AG	0.240	0.280		0.7260	0.260	0.260	0.260		
AH	0.240	0.260		0.236	0.235	0.247	0.247		
Al	2.000	2.020		WIA	NA	N/4	N/4		
AJ	0.023	0.043		0.030	0-030	8.030	0.038		
		cept/Reje	ct	- 30	- 0 30		D.000		· , # ,

Measured	by: 5	15.6	4	Audited by	36	
Da	ate: 06/02	3/16		Date:	06.03.22	

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	. KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	2583
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

				Re	Recorded Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4 ,	Ву	Date
Α	0.438	0.443	DT8682	0.438	o-436	0.438	0.438		
В	1.745	1.755		1.747	1.747	1.747	1.747		
С	3.495	3.505		3,500	3.499	3.496	3.495		
D	1.745	1.755		1,747	1.747	1.747	1.747		
E	7.990	8.010		8.001	8,002	9.002			
F	0.490	0.510		0-501	0 - 500	0492	0.492		
G	0.257	0.262	DT8683	0.257	0.257	6.257	0.257		
Н	0.375	0.380	DT8684	0375	a -375		0.375		
1	0.490	0.510		0.501	0_500	0.496	0.497		
J	1.174	1.184		1-176	1,176	1.177	ルリナナ		
K	0.558	0.578		0.568	0-569	0.568	0567		
L	1.174	1.184		1-176	1.176	1.177	1.177		
М	1.490	1.500		1 495	1 396	1.492	1.493		
N	2.495	2.505		3.497	2,497	2.495	2.498		
0	3.869	3.879		3-862	3-872	3.872	3.871		*
Р	0.115	0.135		0-125	0_124	0.128	0.126		
Q	0.115	0.135		6130	0.130	0.130	0.130		
R	0.240	0.260		6-245	0-244	2.5Z	0.250		
S	0.115	0.135	,	0-130	0.139	0.121	0.121		*
T	0.178	0.198	X-21	6. 188	0.188	0 /28	0.128		
U	2.940	2.980		2-960	2-960	2.960	2960		
V	0.230	0.250		0,240	0-240	6.232	0.236		
W	0.115	0.135		0-125	124	6.126	6.122		
X	0.307	0.312		0.310	0.310	0.3/6			
Υ	0.760	0.765	,,	6.760	0.760	0.760	0.768		
Z	0.352	0.372		0.362	0.362	0.360	0.360		
AA	0.470	0.530	·	0.500	0.500	0.500	0.500		
AB	0.615	0.635		6.635	0 -635	0.624	0.624	-11	
AC	0.053	0.073		0063	0.663	0.063	0.063	â.	
AD	0.240	0.260		0.250	0-249	0.245	6.247		
AE	1.375	1.395		4,387	1-388	1.386	1.395		
AF	0.115	0.135		6/30	6.130	0. /30	6-136		
AG	0.240	0.280		0.260	0.260	0.260	0-260		
AH	0.240	0.260		0-250	0-249	0.252	0.250		
Al	2.000	2.020		N/9	NIT	NIO	NA		
AJ	0.023	0.043		0.030	6.030	0-030	0.030		
		cept/Reje	ct						

Measured by:	5.6/	Audited by	36
Date:		Date:	66.03.22

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	·KJ	
D	05.05.05	Added dimension Al	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	25831
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

				Re	Recorded Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4 1	Ву	Date
Α	0.438	0.443	DT8682	0.438	0.438	6.438	6.438		
В	1.745	1.755		1,745	1.745	1.746	1.745		
С	3.495	3.505		3.497	3.497	3.496	3.495		
D	1.745	1.755		1, 745	1.745	1.746	1. 745		
E	7.990	8.010		8.003	8.002	8.005	2.605		
F	0.490	0.510		0.492	0.492	0.492	0.497		
G	0.257	0.262	DT8683	6.257	0.259	0.257	6 257		
Н	0.375	0.380	DT8684	6.375	6.375		0.375		
1	0.490	0.510	-	0.496	0.498	0.496	0497		
j	1.174	1.184		1.178	1.178	1.177	1.177		, · ·-
K	0.558	0.578		0.568	0.565	0.567	0.568		
Ĺ	1.174	1.184		1.178	1.178	1.177	1.137		
M	1.490	1.500		1,493	1.493	1.494	1.493		
N	2.495	2.505		2.496	2.497	2.496	2.496		
0	3.869	3.879		3.871	3.877	3.843	3.872		
Р	0.115	0.135		0./26	0.127	0.128	0.128		
Q	0.115	0.135	-	0.130	6.130	6.130	0.130		
R	0.240	0.260		0.251	0.252	0.253	6.253		
S	0.115	0.135		0.121	0.177	6.170	0.121		
T	0.178	0.198		0-1188	0,188	0.188	0./88		
U	2.940	2.980		2.960	2960	2.960	2.960		
V	0.230	0.250		6.232	0.236	0.236	0.235		
W	0.115	0.135		0/3/	0.177	0.127	0-125		
Х	0.307	0.312		0-310	0.3/0	0.3/0	0.3/0		
Υ	0.760	0.765		0-760	6.760	0.760	0->66		
Z	0.352	0.372		0.362	0.362	0.362	0.360		
AA	0.470	0.530		6-205	0.200	6.500	0.500		
AB	0.615	0.635		0.626	0.625	0.624	0.627		· · · · · · · · · · · · · · · · · · ·
AC	0.053	0.073		0-663	1-063	6-063	0-663		· ····· · · · · · · · · · · · · · · ·
AD	0.240	0.260		0.248	0.246	0.246	6.249		
AE	1.375	1.395		1.383	1.385	1.389	1.885		
AF	0.115	0.135		0.130	0-136	6.130	0.136		
AG	0.240	0.280		0.260	0.260	0.260	6.260	*	
AH	0.240	0.260		0248	0.248	0.248	0.245		
AI	2.000	2.020		N/7	1/2	NA	NIA		
AJ	0.023	0.043		4.030	0.030	0.030	6.030		
		ept/Reje	ct					9 1	

Measured by:	GD .	Audited by	36
Date:	06/63/20	Date:	06.03.27

Rev	Date	Change	Revised by	Approved	
Α		New Issue	RF		
В	02.09.24	Re-format; Added Rev. D	KJ		
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ		
D	05.05.05	Added dimension Al	KJ/RF		
Ε	05.12.05	.05 Added dimension AJ KJ/s			

DART AEROSPACE LTD	Work Order:	25831
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

		Recorded Actual Dimensions							
Dim	Min	Max	Go/No Go Gauge	1	2	3 5	4	Ву	Date
Α	0.438	0.443	DT8682	0-438	6.434	0.438			· · · · · · · · · · · · · · · · · · ·
В	1.745	1.755		1.746	1,745	17-15			
С	3.495	3.505		3.497	3.497	3.500			
D	1.745	1.755		1.746	1,745	1.746			
E	7.990	8.010		8.005	6.007	8.003			
F	0.490	0.510		0.500	0.498	,500			
G	0.257	0.262	DT8683	0.257	0.257	0.257			
Н	0.375	0.380	DT8684	0-375	0.375	6,375			
1	0.490	0.510		0.495	0.496	, ५६५			
J	1.174	1.184		1176	1.177	1.178			
K	0.558	0.578		0.565	0.568	.568			
L	1.174	1.184		1.176	1.177	1.177			
М	1.490	1.500		1.492	1.495	1.495			
N	2.495	2.505		2.495	2.497	7.500			
0	3.869	3.879		3.872	3,873	3.872			
Р	0.115	0.135		0.127	0.126	.177			
Q	0.115	0.135		0.130	6./30	0.130			
R	0.240	0.260		0252	0.248	.757			
S	0.115	0.135		0.188	0-122	.122			
T	0.178	0.198		0,88	0.188	0:188			·
U	2.940	2.980		2.960	7.960	2.968			
V	0.230	0.250	, , , , , , , , , , , , , , , , , , ,	6.23(	0236	.236			
W	0.115	0.135		0/83	0125	1123			
X	0.307	0.312	4	0.310	0-3/0	6.310			
Υ	0.760	0.765		0.760	0.760	0.760			
Z	0.352	0.372	-	0.360	0.362	0.365			
AA	0.470	0.530	_	0.500	0-500	6-500			
AB	0.615	0.635		0.624	0.624	1.625	,		<del></del>
AC	0.053	0.073		0.063	0.663	0.060			
AD	0.240	0.260		0.244	0.249	.249			
AE	1.375	1.395		1.385	1.386	1.385			
AF	0.115	0.135		0.130	6.130	0.136			12
AG	0.240	0.280		6-260	0.266	9.266			
AH	0.240	0.260		0.248	0.248	2 48			
ΑI	2.000	2.020		WIA	1/4	NIA	<del></del>		
AJ	0.023	0.043		0.038	0.030	0.030			
		cept/Reje	ct	†	,		Δ.		

		<u> </u>
Measured by:	ip.	Audited by 36
Date:	06/03/20	Date: 66.03.27

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.24	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

